IN THE CLAIMS

Please amend the claims as follows:

- 1 (Currently Amended): A lubricating oil composition for sizing, comprising:
- (A) a lubricating base oil having a kinematic viscosity of 0.5 to 100 mm²/s at 40°C, and compounded therein
- (B) at least one acid phosphite ester extreme-pressure agent in an amount of 0.1 to 10 % by mass and
- (C) at least one metal deactivator in an amount of 0.05 to 5 % by mass, each based on a total amount of said composition, wherein

said (A) a lubricating base oil has a kinematic viscosity of 0.98 to 56 mm²/s at 40°C, is selected from the group consisting of a hydrogenated product of polyisobutene, a naphthene base oil, a paraffin base mineral oil, and alkylbenzene, and is present in an amount of from 91 to 99.45 % by mass;

said (B) at least one acid phosphite ester extreme-pressure agent is dioleyl hydrogen phosphite and present in an amount of 1 to 8 % by mass; and

said (C) at least one metal deactivator is selected from the group consisting of N-dioctylaminomethyl-1,2,3-benzotriazole, benzotriazole, and 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole and present in an amount of 0.05 to 1 % by mass,

wherein the total mass of the components add up to 100% by mass.

2-24 (Cancelled).

- 25 (Currently Amended): A lubricating oil composition for sizing, consisting of:
- (A) a lubricating base oil has a kinematic viscosity of 0.98 to 56 mm²/s at 40°C, is selected from the group consisting of a hydrogenated product of polyisobutene, a naphthene

base oil, a paraffin base mineral oil, and alkylbenzene, and is present in an amount of from 91 to 99.45 % by mass;

- (B) dioleyl hydrogen phosphite, present in an amount of 1 to 8 % by mass; and
- (C) at least one metal deactivator selected from the group consisting of N-dioctylaminomethyl-1,2,3-benzotriazole, benzotriazole, and 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole, present in an amount of 0.05 to 1 % by mass,

wherein the total mass of the components add up to 100% by mass.

- 26 (New): The composition according to claim 25, wherein component (A) is a hydrogenated product of polyisobutene.
- 27 (New): The composition according to claim 25, wherein component (A) is a naphthene base oil.
- 28 (New): The composition according to claim 25, wherein component (A) is a paraffin base mineral oil.
- 29 (New): The composition according to claim 25, wherein component (A) is alkylbenzene.
- 30 (New): The composition according to claim 25, wherein component (C) is N-dioctylaminomethyl-1,2,3-benzotriazole or 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole.
- 31 (New): The composition according to claim 25, wherein component (C) is N-dioctylaminomethyl-1,2,3-benzotriazole.

- 32 (New): The composition according to claim 25, wherein component (C) is 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole.
- 33 (New): The composition according to claim 1, wherein component (A) is a hydrogenated product of polyisobutene.
- 34 (New): The composition according to claim 1, wherein component (A) is a naphthene base oil.
- 35 (New): The composition according to claim 1, wherein component (A) is a paraffin base mineral oil.
- 36 (New): The composition according to claim 1, wherein component (A) is alkylbenzene.
- 37 (New): The composition according to claim 1, wherein component (C) is N-dioctylaminomethyl-1,2,3-benzotriazole or 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole.
- 38 (New): The composition according to claim 1, wherein component (C) is N-dioctylaminomethyl-1,2,3-benzotriazole.
- 39 (New): The composition according to claim 1, wherein component (C) is 2,5-bis(n-nonyldithio)-1,3,4-thiadiazole.